# FCC NTSC ENGINEERING DATABASE CORRECTION SHEET

VICTOR TAWIL

**TO:** DAVID CARR KHOU-TV

**FROM:** KFWD-TV, **Region** 4 (C/O STUART JAGODA)
**Telephone:** 972-355-5206

**RE:** **FCC NTSC Engineering Database**

In connection with the Broadcasters' campaign to evaluate and to prepare comments on the FCC's DTV allotments/assignments proposal, the Regional Coordinating Teams are verifying the accuracy of the FCC's NTSC Engineering Database. Please confirm that the following information contained in the FCC NTSC Database is correct for your station:

| | | Check Here if Correct |
|---|---|---|
| Station Call Sign: | KFWD | ✓ |
| Channel: | 52 Negative offset | ✓ partially |
| Power: | 5000.00 KW | ✓ |
| Antenna Height: | 328.0 m | ✓ |
| RCAMSL: | 512.0 m | ✓ |
| Transmitter Location: | | |
| Latitude: | N LAT 32 45 1 | ✓ |
| Longitude: | W LON 92 16 7 | ✓ |
| Directional Antenna: | Yes | ✓ |
| Reference Angle: | Horizontal Polarization 350° electrical | ✓ |

Please provide any necessary corrections in the spaces below:

| | |
|---|---|
| Station Call Sign: | |
| Channel: | (negative offset was not listed |
| Power: | |
| Antenna Height: | |
| RCAMSL: | |
| Transmitter Location: | |
| Latitude: | |
| Longitude: | |
| Directional Antenna: | |
| Reference Angle: | 350° electrical was not listed. |

# FCC NTSC ENGINEERING DATABASE CORRECTION SHEET

**TO:** Victor Tawil

**FROM:** Ken High, **Region** 4
**Telephone:** 806 383 3321

**RE:** **FCC NTSC Engineering Database**

In connection with the Broadcasters' campaign to evaluate and to prepare comments on the FCC's DTV allotments/assignments proposal, the Regional Coordinating Teams are verifying the accuracy of the FCC's NTSC Engineering Database. Please confirm that the following information contained in the FCC NTSC Database is correct for your station:

| | | Check Here if Correct |
|---|---|---|
| Station Call Sign: | KAMR TV | ✓ |
| Channel: | 4 | ✓ |
| Power: | 100 | ✓ |
| Antenna Height: | 433 | |
| RCAMSL: | 1482 | |
| Transmitter Location: | | |
| Latitude: | 35-18-52 | ✓ |
| Longitude: | 101-50-47 | ✓ |
| Directional Antenna: | | |
| Reference Angle: | 0.0 | ✓ |

Please provide any necessary corrections in the spaces below:

| | |
|---|---|
| Station Call Sign: | |
| Channel: | |
| Power: | |
| Antenna Height: | 440 (m) |
| RCAMSL: | 1495 (m) |
| Transmitter Location: | |
| Latitude: | |
| Longitude: | |
| Directional Antenna: | |
| Reference Angle: | |

TO: Victor Tawil

FROM: Phil Brassie, Region 4
Telephone: 915-949-8800

RE: FCC NTSC Engineering Database

In connection with the Broadcasters' campaign to evaluate and to prepare comments on the FCC's DTV allotments/assignments proposal, the Regional Coordinating Teams are verifying the accuracy of the FCC's NTSC Engineering Database. Please confirm that the following information contained in the FCC NTSC Database is correct for your station:

| | | Check Here if Correct |
|---|---|---|
| Station Call Sign: | KLST | ✓ |
| Channel: | 8 | ✓ |
| Power: | 316 KW Visual 31.6 KW aural | ✓ |
| Antenna Height: | 1500 FT | ✓ |
| RCAMSL: | | |
| Transmitter Location: | | |
| Latitude: | NORTH 31° 22 MIN 01 SEC | ✓ |
| Longitude: | WEST 100° 02 MIN. 48 SEC | ✓ |
| Directional Antenna: | | |
| Reference Angle: | 3.3-mi. SE of Eola | ✓ |

Please provide any necessary corrections in the spaces below:

| | |
|---|---|
| Station Call Sign: | |
| Channel: | |
| Power: | |
| Antenna Height: | |
| RCAMSL: | |
| Transmitter Location: | |
| Latitude: | |
| Longitude: | |
| Directional Antenna: | OMNIDIRECTIONAL |
| Reference Angle: | |

# FCC NTSC ENGINEERING DATABASE CORRECTION SHEET

**TO:** Martin Faubell

**FROM:** WQPT, Region 5
Telephone: 309 796-2422

**RE:** FCC NTSC Engineering Database

In connection with the Broadcasters' campaign to evaluate and to prepare comments on the FCC's DTV allotments/assignments proposal, the Regional Coordinating Teams are verifying the accuracy of the FCC's NTSC Engineering Database. Please confirm that the following information contained in the FCC NTSC Database is correct for your station:

| | | Check Here if Correct |
|---|---|---|
| Station Call Sign: | | ___ |
| Channel: | | ___ |
| Power: | | ___ |
| Antenna Height: | | ___ |
| RCAMSL: | | ___ |
| Transmitter Location: | | |
| Latitude: | | ___ |
| Longitude: | | ___ |
| Directional Antenna: | | ___ |
| Reference Angle: | | ___ |

Please provide any necessary corrections in the spaces below:

| | |
|---|---|
| Station Call Sign: | WQPT |
| Channel: | 24 (-) |
| Power: | 1200 kW |
| Antenna Height: | 259 m |
| RCAMSL: | 497 m |
| Transmitter Location: | |
| Latitude: | 41 19 17 * |
| Longitude: | 90 22 47 * |
| Directional Antenna: | Dielectric TMP32-6 |
| Reference Angle: | 330° |

NEW C.P.
BPET-960328KE

* 41 19 38
* 90 22 46

## FCC NTSC ENGINEERING DATABASE CORRECTION SHEET

Region 5 Request 108

TO: Martin Faubell

FROM: Don Kirby, Region 5
Telephone: 612-454-9350

RE: **FCC NTSC Engineering Database**

In connection with the Broadcasters' campaign to evaluate and to prepare comments on the FCC's DTV allotments/assignments proposal, the Regional Coordinating Teams are verifying the accuracy of the FCC's NTSC Engineering Database. Please confirm that the following information contained in the FCC NTSC Database is correct for your station:

| | | Check Here if Correct |
|---|---|---|
| Station Call Sign: | KVBH-TV | ___ |
| Channel: | 45 | ___ |
| Power: | 5000 | ___ |
| Antenna Height: | 375.0 m | ___ |
| RCAMSL: | 651.0 m | ___ |
| Transmitter Location: | | |
| Latitude: | 45-03-44 | ___ |
| Longitude: | 93-08-21 | ___ |
| Directional Antenna: | Dielectric TFU-31JSMR | ___ |
| Reference Angle: | _____ | ___ |

Please provide any necessary corrections in the spaces below:

| | |
|---|---|
| Station Call Sign: | _____ |
| Channel: | _____ |
| Power: | _____ |
| Antenna Height: | _____ |
| RCAMSL: | _____ |
| Transmitter Location: | |
| Latitude: | _____ |
| Longitude: | _____ |
| Directional Antenna: | _____ |
| Reference Angle: | _____ |

# FCC NTSC ENGINEERING DATABASE CORRECTION SHEET

Regions 5
Request 73

**TO:** Victor Tawil

**FROM:** WUCM-TV 19
Ruby Iwamasa, Region 5
Telephone: (517) 686-9346

**RE:** **FCC NTSC Engineering Database**

In connection with the Broadcasters' campaign to evaluate and to prepare comments on the FCC's DTV allotments/assignments proposal, the Regional Coordinating Teams are verifying the accuracy of the FCC's NTSC Engineering Database. Please confirm that the following information contained in the FCC NTSC Database is correct for your station:

| | | Check Here if Correct |
|---|---|---|
| Station Call Sign: | WUCM-TV 19 | X |
| Channel: | 19 | X |
| Power: | 1290 | X |
| Antenna Height: | 140.0 M | — |
| RCAMSL: | 327.0 M | — |
| Transmitter Location: | | |
| Latitude: | 43-33-43 | — |
| Longitude: | 83-58-54 | — |
| Directional Antenna: | | — |
| Reference Angle: | | — |

Please provide any necessary corrections in the spaces below:

| | |
|---|---|
| Station Call Sign: | |
| Channel: | |
| Power: | |
| Antenna Height: | 135.0 M |
| RCAMSL: | 322.0 M |
| Transmitter Location: | |
| Latitude: | 43-33-42 |
| Longitude: | 83-58-52 |
| Directional Antenna: | |
| Reference Angle: | |

# FCC NTSC ENGINEERING DATABASE CORRECTION SHEET

Region 5
Request 72

**TO:** Victor Tawil

**FROM:** WUCX-TV 35
Ruby Ivanas, Region 5
Telephone: (517) 686-9346

**RE:** **FCC NTSC Engineering Database**

In connection with the Broadcasters' campaign to evaluate and to prepare comments on the FCC's DTV allotments/assignments proposal, the Regional Coordinating Teams are verifying the accuracy of the FCC's NTSC Engineering Database. Please confirm that the following information contained in the FCC NTSC Database is correct for your station:

| | | Check Here if Correct |
|---|---|---|
| Station Call Sign: | WUCX-TV 35 | X |
| Channel: | 35 | X |
| Power: | 85.1 | X |
| Antenna Height: | 155.0 M | |
| RCAMSL: | 390.0 M | |
| Transmitter Location: | | |
| Latitude: | 43-41-26 | |
| Longitude: | 82-56-29 | |
| Directional Antenna: | | |
| Reference Angle: | | |

Please provide any necessary corrections in the spaces below:

| | |
|---|---|
| Station Call Sign: | |
| Channel: | |
| Power: | |
| Antenna Height: | 144.0 M |
| RCAMSL: | 379.0 M |
| Transmitter Location: | |
| Latitude: | 43-41-25 |
| Longitude: | 82-56-27 |
| Directional Antenna: | |
| Reference Angle: | |

# FCC NTSC ENGINEERING DATABASE CORRECTION SHEET

Regions 5
Request 42

**TO:** Martin Eaubell

**FROM:** Gary Bluhm, Region 5
Telephone: (216) 398-2800

**RE:** FCC NTSC Engineering Database

In connection with the Broadcasters' campaign to evaluate and to prepare comments on the FCC's DTV allotments/assignments proposal, the Regional Coordinating Teams are verifying the accuracy of the FCC's NTSC Engineering Database. Please confirm that the following information contained in the FCC NTSC Database is correct for your station:

| | | Check Here if Correct |
|---|---|---|
| Station Call Sign: | WVIZ | X |
| Channel: | 25 | X |
| Power: | | |
| Antenna Height: | 304 | X |
| RCAMSL: | 585 | X |
| Transmitter Location: | | |
| Latitude: | 41-28-28 | X |
| Longitude: | 81-44-24 | X |
| Directional Antenna: | | |
| Reference Angle: | | |

Please provide any necessary corrections in the spaces below:

| | |
|---|---|
| Station Call Sign: | |
| Channel: | |
| Power: | 5,000 KW ERP (Filed with FCC on 1-11-96 #BPET-960111KF) |
| Antenna Height: | 304 (MSTV DATABASE IS INCORRECT) |
| RCAMSL: | |
| Transmitter Location: | |
| Latitude: | |
| Longitude: | |
| Directional Antenna: | NO - (Filed with FCC on 1-11-96 #BPET-960111KF) |
| Reference Angle: | |

# FCC NTSC ENGINEERING DATABASE CORRECTION SHEET

**TO:** Victor Tawil

**FROM:** George Molnar, **Region** 5 WNDU-TV
**Telephone:** 219-631-1278

**RE:** **FCC NTSC Engineering Database**

In connection with the Broadcasters' campaign to evaluate and to prepare comments on the FCC's DTV allotments/assignments proposal, the Regional Coordinating Teams are verifying the accuracy of the FCC's NTSC Engineering Database. Please confirm that the following information contained in the FCC NTSC Database is correct for your station:

| | | Check Here if Correct |
|---|---|---|
| Station Call Sign: | WNDU-TV | ✓ |
| Channel: | 16 | ✓ |
| Power: | 3,800 kW | |
| Antenna Height: | 326-m C.R. | ✓ |
| RCAMSL: | 565-m | ✓ |
| Transmitter Location: | | |
| Latitude: | 41-36-20 | ✓ |
| Longitude: | 86-12-45 | ✓ |
| Directional Antenna: | RCA ODDWNDUTV | |
| Reference Angle: | 0.0 | |

Please provide any necessary corrections in the spaces below:

| | |
|---|---|
| Station Call Sign: | |
| Channel: | |
| Power: | 5,000 kW |
| Antenna Height: | |
| RCAMSL: | |
| Transmitter Location: | |
| Latitude: | |
| Longitude: | |
| Directional Antenna: | no |
| Reference Angle: | |

NOTE: WNDU-TV holds CP for 5,000 kW ERP, omnidirectional, using present location and heights, File No. BPCT-950405KF.

# FCC NTSC ENGINEERING DATABASE CORRECTION SHEET

**TO:** Victor Tawil

**FROM:** Tom Lahr, **Region** 5
**Telephone:** 614-292-9678

**RE:** **FCC NTSC Engineering Database**

In connection with the Broadcasters' campaign to evaluate and to prepare comments on the FCC's DTV allotments/assignments proposal, the Regional Coordinating Teams are verifying the accuracy of the FCC's NTSC Engineering Database. Please confirm that the following information contained in the FCC NTSC Database is correct for your station:

| | | Check Here if Correct |
|---|---|---|
| Station Call Sign: | WOSU-TV | ✓ |
| Channel: | 34 | ✓ |
| Power: | 1170kw | ✓ |
| Antenna Height: | 329m | ✓ |
| RCAMSL: | 344 | |
| Transmitter Location: | | |
| Latitude: | 40° 09' 34" | |
| Longitude: | 82° 55' 22" | |
| Directional Antenna: | | |
| Reference Angle: | | |

Please provide any necessary corrections in the spaces below:

| | |
|---|---|
| Station Call Sign: | |
| Channel: | |
| Power: | |
| Antenna Height: | |
| RCAMSL: | 615m |
| Transmitter Location: | |
| Latitude: | 40° 09' 33.5° |
| Longitude: | 82° 55' 21.5° |
| Directional Antenna: | |
| Reference Angle: | |

| Post-it™ Fax Note 7671 | Date 10/22/96 | # of pages ▶ 1 |
|---|---|---|
| To Victor Tawil | From Tom Lahr | |
| Co./Dept. DTV Chan. Coor. | Co. WOSU-TV | |
| Phone # | Phone # 614-292-9678 | |
| Fax # 202-861-0342 | Fax # 614-688-3343 | |

# FCC NTSC ENGINEERING DATABASE CORRECTION SHEET

**TO:** Victor Tawil

**FROM:** WQPT, **Region** 5
**Telephone:** (309) 796 2424

**RE:** **FCC NTSC Engineering Database**

In connection with the Broadcasters' campaign to evaluate and to prepare comments on the FCC's DTV allotments/assignments proposal, the Regional Coordinating Teams are verifying the accuracy of the FCC's NTSC Engineering Database. Please confirm that the following information contained in the FCC NTSC Database is correct for your station:

| | | Check Here if Correct |
|---|---|---|
| Station Call Sign: | WQPT | ✓ |
| Channel: | 24 (-) | ✓ |
| Power: | 148 kW | ✓ |
| Antenna Height: | 98 | — |
| RCAMSL: | 297 | ✓ |
| Transmitter Location: | | |
| Latitude: | 41-28-30 | — |
| Longitude: | 90-26-44 | — |
| Directional Antenna: | BOG 000WQPTTV | — |
| Reference Angle: | 0.0 | — |

Please provide any necessary corrections in the spaces below:

| | |
|---|---|
| Station Call Sign: | |
| Channel: | |
| Power: | |
| Antenna Height: | 96 |
| RCAMSL: | |
| Transmitter Location: | |
| Latitude: | 41-28-29 |
| Longitude: | 90-26-45 |
| Directional Antenna: | BOG B16UAM |
| Reference Angle: | 60 (144 & 210) |

# FCC NTSC ENGINEERING DATABASE CORRECTION SHEET

**TO:** Victor Tawil

**FROM:** WUCM-TV 19
Ruby Iwamasa, **Region** 5
**Telephone:** (517) 686-9346

**RE:** **FCC NTSC Engineering Database**

In connection with the Broadcasters' campaign to evaluate and to prepare comments on the FCC's DTV allotments/assignments proposal, the Regional Coordinating Teams are verifying the accuracy of the FCC's NTSC Engineering Database. Please confirm that the following information contained in the FCC NTSC Database is correct for your station:

| | | Check Here if Correct |
|---|---|---|
| Station Call Sign: | WUCM-TV 19 | X |
| Channel: | 19 | X |
| Power: | 1290 | X |
| Antenna Height: | 140.0 M | |
| RCAMSL: | 327.0 M | |
| Transmitter Location: | | |
| Latitude: | 43-33-43 | |
| Longitude: | 83-58-54 | |
| Directional Antenna: | | |
| Reference Angle: | | |

Please provide any necessary corrections in the spaces below:

| | |
|---|---|
| Station Call Sign: | |
| Channel: | |
| Power: | |
| Antenna Height: | 135.0 M |
| RCAMSL: | 322.0 M |
| Transmitter Location: | |
| Latitude: | 43-33-42 |
| Longitude: | 83-58-52 |
| Directional Antenna: | |
| Reference Angle: | |

# FCC NTSC ENGINEERING DATABASE CORRECTION SHEET

**TO:** Victor Tawil

**FROM:** WUCX-TV 35
Ruby Iwamasa, **Region** 5
**Telephone:** (517) 686-9346

**RE:** **FCC NTSC Engineering Database**

In connection with the Broadcasters' campaign to evaluate and to prepare comments on the FCC's DTV allotments/assignments proposal, the Regional Coordinating Teams are verifying the accuracy of the FCC's NTSC Engineering Database. Please confirm that the following information contained in the FCC NTSC Database is correct for your station:

| | | Check Here if Correct |
|---|---|---|
| Station Call Sign: | WUCX-TV 35 | X |
| Channel: | 35 | X |
| Power: | 85.1 | X |
| Antenna Height: | 155.0 M | |
| RCAMSL: | 390.0 M | |
| Transmitter Location: | | |
| Latitude: | 43-41-26 | |
| Longitude: | 82-56-29 | |
| Directional Antenna: | | |
| Reference Angle: | | |

Please provide any necessary corrections in the spaces below:

| | |
|---|---|
| Station Call Sign: | |
| Channel: | |
| Power: | |
| Antenna Height: | 144.0 M |
| RCAMSL: | 379.0 M |
| Transmitter Location: | |
| Latitude: | 43-41-25 |
| Longitude: | 82-56-27 |
| Directional Antenna: | |
| Reference Angle: | |

# FCC NTSC ENGINEERING DATABASE CORRECTION SHEET

**TO:** VICTOR TAWIL

**FROM:** GENE WILCZAK, **Region** 5
**Telephone:** 810-552-5284

**RE:** **FCC NTSC Engineering Database**

In connection with the Broadcasters' campaign to evaluate and to prepare comments on the FCC's DTV allotments/assignments proposal, the Regional Coordinating Teams are verifying the accuracy of the FCC's NTSC Engineering Database. Please confirm that the following information contained in the FCC NTSC Database is correct for your station:

| | | Check Here if Correct |
|---|---|---|
| Station Call Sign: | WJBK-TV | ✓ |
| Channel: | 2 | ✓ |
| Power: | 100 KW | ✓ |
| Antenna Height: | 305 HAAT | ✓ |
| RCAMSL: | 512 m | ✓ |
| Transmitter Location: | | |
| Latitude: | 42-27-38 | ✓ |
| Longitude: | 83-12-47 | |
| Directional Antenna: | — | ✓ |
| Reference Angle: | — | ✓ |

Please provide any necessary corrections in the spaces below:

| | |
|---|---|
| Station Call Sign: | |
| Channel: | |
| Power: | |
| Antenna Height: | |
| RCAMSL: | |
| Transmitter Location: | |
| Latitude: | |
| Longitude: | 83-12-50 |
| Directional Antenna: | |
| Reference Angle: | |

# FCC NTSC ENGINEERING DATABASE CORRECTION SHEET

TO: Victor Tawil

FROM: Greg Schmidt, Region 5
Telephone: 879-9355

RE: **FCC NTSC Engineering Database**

In connection with the Broadcasters' campaign to evaluate and to prepare comments on the FCC's DTV allotments/assignments proposal, the Regional Coordinating Teams are verifying the accuracy of the FCC's NTSC Engineering Database. Please confirm that the following information contained in the FCC NTSC Database is correct for your station:

| | | Check Here if Correct |
|---|---|---|
| Station Call Sign: | WOTV | ✓ |
| Channel: | 41 | ✓ |
| Power: | 2,000 | |
| Antenna Height: | 329 | ✓ |
| RCAMSL: | 586 | ✓ |
| Transmitter Location: | | |
| Latitude: | 42-34-15 | ✓ |
| Longitude: | 85-28-11 | ✓ |
| Directional Antenna: | | |
| Reference Angle: | | |

Please provide any necessary corrections in the spaces below:

| | |
|---|---|
| Station Call Sign: | |
| Channel: | |
| Power: | 5,000 |
| Antenna Height: | |
| RCAMSL: | |
| Transmitter Location: | |
| Latitude: | |
| Longitude: | |
| Directional Antenna: | |
| Reference Angle: | |

# FCC NTSC ENGINEERING DATABASE CORRECTION SHEET

**TO:** VICTOR TAWIL

**FROM:** GENE LANTZ, **Region** 5
**Telephone:** (219) 484-3453

**RE:** **FCC NTSC Engineering Database**

In connection with the Broadcasters' campaign to evaluate and to prepare comments on the FCC's DTV allotments/assignments proposal, the Regional Coordinating Teams are verifying the accuracy of the FCC's NTSC Engineering Database. Please confirm that the following information contained in the FCC NTSC Database is correct for your station:

| | | Check Here if Correct |
|---|---|---|
| Station Call Sign: | WPTA | ✓ |
| Channel: | 21 | ✓ |
| Power: | 562 KW | |
| Antenna Height: | 226 M | ✓ |
| RCAMSL: | 475 M | ✓ |
| Transmitter Location: | | |
| Latitude: | 41-06-08 | ✓ |
| Longitude: | 85-11-04 | ✓ |
| Directional Antenna: | | |
| Reference Angle: | | |

Please provide any necessary corrections in the spaces below:

| | |
|---|---|
| Station Call Sign: | |
| Channel: | |
| Power: | 539 KW |
| Antenna Height: | |
| RCAMSL: | |
| Transmitter Location: | |
| Latitude: | |
| Longitude: | |
| Directional Antenna: | OMNIDIRECTIONAL (RCA TFU-24J) |
| Reference Angle: | 0.5° |

# FCC NTSC ENGINEERING DATABASE CORRECTION SHEET

**TO:** Victor Twain

**FROM:** WSFJ-TV, **Region** 5
**Telephone:** 614-833-0771

**RE:** **FCC NTSC Engineering Database**

In connection with the Broadcasters' campaign to evaluate and to prepare comments on the FCC's DTV allotments/assignments proposal, the Regional Coordinating Teams are verifying the accuracy of the FCC's NTSC Engineering Database. Please confirm that the following information contained in the FCC NTSC Database is correct for your station:

| | | Check Here if Correct |
|---|---|---|
| Station Call Sign: | WSFJ-TV | X |
| Channel: | 51 | X |
| Power: | 724.0 | X |
| Antenna Height: | 189.0 | X |
| RCAMSL: | 413.0 | |
| Transmitter Location: | | |
| Latitude: | 39-56-53 | X |
| Longitude: | 82-24-33 | X |
| Directional Antenna: | | |
| Reference Angle: | | |

Please provide any necessary corrections in the spaces below:

| | |
|---|---|
| Station Call Sign: | |
| Channel: | |
| Power: | |
| Antenna Height: | |
| RCAMSL: | 480.06 |
| Transmitter Location: | |
| Latitude: | |
| Longitude: | |
| Directional Antenna: | |
| Reference Angle: | |

# FCC NTSC ENGINEERING DATABASE CORRECTION SHEET

**TO:** Victor Tawil

**FROM:** Mike Doback, **Region** 5
**Telephone:** (810) 827-9490

**RE:** **FCC NTSC Engineering Database**

In connection with the Broadcasters' campaign to evaluate and to prepare comments on the FCC's DTV allotments/assignments proposal, the Regional Coordinating Teams are verifying the accuracy of the FCC's NTSC Engineering Database. Please confirm that the following information contained in the FCC NTSC Database is correct for your station:

| | | Check Here if Correct |
|---|---|---|
| Station Call Sign: | WXYZ-TV | X |
| Channel: | 7 | X |
| Power: | 316 KW ERP | X |
| Antenna Height: | 305.0 M | X |
| RCAMSL: | 516.0 M | X |
| Transmitter Location: | | |
| Latitude: | 42 - 28-15 | |
| Longitude: | 83 - 15 - 00 | |
| Directional Antenna: | D.N.A. | |
| Reference Angle: | D.N.A. | |

Please provide any necessary corrections in the spaces below:

| | |
|---|---|
| Station Call Sign: | |
| Channel: | |
| Power: | |
| Antenna Height: | |
| RCAMSL: | |
| Transmitter Location: | |
| Latitude: | 42 - 28 - 14 |
| Longitude: | 83 - 15 - 01 |
| Directional Antenna: | |
| Reference Angle: | |

# FCC NTSC ENGINEERING DATABASE CORRECTION SHEET

**TO:** Victor Tawil

**FROM:** Jerry Blankenbeker
Dir. of Tech. Serv., **Region** #5
**Telephone:** (513) 381-4033 Ext. 572

**RE:** **FCC NTSC Engineering Database**

In connection with the Broadcasters' campaign to evaluate and to prepare comments on the FCC's DTV allotments/assignments proposal, the Regional Coordinating Teams are verifying the accuracy of the FCC's NTSC Engineering Database. Please confirm that the following information contained in the FCC NTSC Database is correct for your station:

| | | Check Here if Correct |
|---|---|---|
| Station Call Sign: | WCET | X |
| Channel: | 48 | X |
| Power: | 2240 KW ERP | X |
| Antenna Height: | 326 HAAT(M) | X |
| RCAMSL: | 537 RCAMSL(M) | X |
| Transmitter Location: | | |
| Latitude: | 39-07-30 | |
| Longitude: | 84-31-18 | X |
| Directional Antenna: | - - - - | |
| Reference Angle: | - - - - | |

Please provide any necessary corrections in the spaces below:

| | |
|---|---|
| Station Call Sign: | |
| Channel: | |
| Power: | |
| Antenna Height: | |
| RCAMSL: | |
| Transmitter Location: | |
| Latitude: | 39-07-27 |
| Longitude: | |
| Directional Antenna: | |
| Reference Angle: | |

# FCC NTSC ENGINEERING DATABASE CORRECTION SHEET

**TO:** Victor Tawil

**FROM:** Mike Laemers, Region 5
**Telephone:** 616 771-9668

**RE:** **FCC NTSC Engineering Database**

In connection with the Broadcasters' campaign to evaluate and to prepare comments on the FCC's DTV allotments/assignments proposal, the Regional Coordinating Teams are verifying the accuracy of the FCC's NTSC Engineering Database. Please confirm that the following information contained in the FCC NTSC Database is correct for your station:

| | | Check Here if Correct |
|---|---|---|
| Station Call Sign: | WOTV | ✓ |
| Channel: | 41 | ✓ |
| Power: | 2000 KW | |
| Antenna Height: | 329 | |
| RCAMSL: | 586 | |
| Transmitter Location: | | |
| Latitude: | 42° 34' 15" N | |
| Longitude: | 85° 28' 11" W | |
| Directional Antenna: | Omni | ✓ |
| Reference Angle: | | |

Please provide any necessary corrections in the spaces below:

| | |
|---|---|
| Station Call Sign: | |
| Channel: | |
| Power: | 5000 KW |
| Antenna Height: | 294.95 |
| RCAMSL: | 586.84 |
| Transmitter Location: | |
| Latitude: | 42° 34' 15.48" N |
| Longitude: | 85° 28' 06.58" W |
| Directional Antenna: | |
| Reference Angle: | |

# FCC NTSC ENGINEERING DATABASE CORRECTION SHEET

TO: Victor Tawil

FROM: Mike Laemers, Region 5
Telephone: 616 771-9668

RE: **FCC NTSC Engineering Database**

In connection with the Broadcasters' campaign to evaluate and to prepare comments on the FCC's DTV allotments/assignments proposal, the Regional Coordinating Teams are verifying the accuracy of the FCC's NTSC Engineering Database. Please confirm that the following information contained in the FCC NTSC Database is correct for your station:

| | | Check Here if Correct |
|---|---|---|
| Station Call Sign: | WOOD | ✓ |
| Channel: | 8 | ✓ |
| Power: | 316 KW | ✓ |
| Antenna Height: | 302 m HAAT | |
| RCAMSL: | 546.0 | |
| Transmitter Location: | | |
| Latitude: | 42° 41' 13" | |
| Longitude: | 80° 30' 35" | |
| Directional Antenna: | Omni | ✓ |
| Reference Angle: | | |

Please provide any necessary corrections in the spaces below:

| | |
|---|---|
| Station Call Sign: | WOOD TV |
| Channel: | |
| Power: | |
| Antenna Height: | 296.73 HAAT m |
| RCAMSL: | 534.36 m |
| Transmitter Location: | |
| Latitude: | 42° 41' 13.5" N |
| Longitude: | 85° 30' 33.8" W |
| Directional Antenna: | |
| Reference Angle: | |

# FCC NTSC ENGINEERING DATABASE CORRECTION SHEET

**TO:** MARTIN FAUBELL

**FROM:** BOB FLIS, **Region** 5
**Telephone:** 330 782-1144

**RE:** **FCC NTSC Engineering Database**

In connection with the Broadcasters' campaign to evaluate and to prepare comments on the FCC's DTV allotments/assignments proposal, the Regional Coordinating Teams are verifying the accuracy of the FCC's NTSC Engineering Database. Please confirm that the following information contained in the FCC NTSC Database is correct for your station:

| | | Check Here if Correct |
|---|---|---|
| Station Call Sign: | WKBN | ✓ |
| Channel: | 27 | ✓ |
| Power: | 871 kW | ✓ |
| Antenna Height: | 1,432 ft - 436.5m | ✓ |
| RCAMSL: | 2,506' AMSL 768 m | |
| Transmitter Location: | | |
| Latitude: | 41-03-28 | |
| Longitude: | 80-38-42 | |
| Directional Antenna: | NO | ✓ |
| Reference Angle: | NO | ✓ |

Please provide any necessary corrections in the spaces below:

| | |
|---|---|
| Station Call Sign: | |
| Channel: | |
| Power: | |
| Antenna Height: | |
| RCAMSL: | 764 m |
| Transmitter Location: | |
| Latitude: | 41-03-24 |
| Longitude: | 80-38-44 |
| Directional Antenna: | |
| Reference Angle: | |

# FCC NTSC ENGINEERING DATABASE CORRECTION SHEET

**TO:** VICTOR TAWIL

**FROM:** CHARLES R. PRICE, **Region** 5
**Telephone:** (414) 967-5218

**RE:** **FCC NTSC Engineering Database**

In connection with the Broadcasters' campaign to evaluate and to prepare comments on the FCC's DTV allotments/assignments proposal, the Regional Coordinating Teams are verifying the accuracy of the FCC's NTSC Engineering Database. Please confirm that the following information contained in the FCC NTSC Database is correct for your station:

| | | Check Here if Correct |
|---|---|---|
| Station Call Sign: | WTMJ-TV | X |
| Channel: | 4 | X |
| Power: | 100 K | X |
| Antenna Height: | | |
| RCAMSL: | | |
| Transmitter Location: | | |
| Latitude: | 43-05-29 | X |
| Longitude: | 87-54-07 | X |
| Directional Antenna: | - | X |
| Reference Angle: | 0 | X |

Please provide any necessary corrections in the spaces below:

| | |
|---|---|
| Station Call Sign: | |
| Channel: | |
| Power: | |
| Antenna Height: | 334.1 |
| RCAMSL: | 527.9 |
| Transmitter Location: | |
| Latitude: | |
| Longitude: | |
| Directional Antenna: | |
| Reference Angle: | |

# FCC NTSC ENGINEERING DATABASE CORRECTION SHEET

TO: Marty Faubell/Hearst
Victor Tawil

FROM: Jim Kutzner, Region 5
Telephone: 612/229-1238

Region 5
Request 104

RE: **FCC NTSC Engineering Database**

In connection with the Broadcasters' campaign to evaluate and to prepare comments on the FCC's DTV allotments/assignments proposal, the Regional Coordinating Teams are verifying the accuracy of the FCC's NTSC Engineering Database. Please confirm that the following information contained in the FCC NTSC Database is correct for your station:

| | | Check Here if Correct |
|---|---|---|
| Station Call Sign: | KTCI | ✓ |
| Channel: | 17 | ✓ |
| Power: | 331 KW | ✓ |
| Antenna Height: | 396 m | ✓ |
| RCAMSL: | 674 m | ✓ |
| Transmitter Location: | | |
| Latitude: | 45-03-29 | NO |
| Longitude: | 93-07-27 | ✓ |
| Directional Antenna: | AND ODD 900104KE | ✓ |
| Reference Angle: | 0° | NO |

Please provide any necessary corrections in the spaces below:

| | |
|---|---|
| Station Call Sign: | |
| Channel: | |
| Power: | |
| Antenna Height: | |
| RCAMSL: | |
| Transmitter Location: | |
| Latitude: | 45-03-30 |
| Longitude: | |
| Directional Antenna: | |
| Reference Angle: | 225° |